

TUF GAMING VG279QM

Panel TFT-LCD Panel Size: Wide Screen 27.0"(68.47cm) 16:9

Color Saturation : 99% sRGB

Panel Type : IPS

True Resolution : 1920x1080

Display Viewing Area(HxV) : 597.6 x 336.15 mm

Display Surface : Non-glare

Pixel Pitch : 0.311 mm

Brightness(Max) : 400 cd/m²

Contrast Ratio (Max) : 1000:1

Viewing Angle (CR_{≥10}) : 178°(H)/178°(V)

Response Time : 1ms (Gray to Gray)

Display Colors : 16.7M

Flicker free : Yes

HDR (High Dynamic Range) Support : Yes (HDR-10)

Refresh Rate(max) : 280Hz(overclocking)

Capacidad de Video Trace Free Technology : Yes

Color Temperature Selection : 4 Modes

GamePlus(modes) : Yes (Crosshair/Timer/FPS Counter/Display

Alignment/Sniper)

Low Blue Light : Yes

HDCP support : Yes

GameVisual : 7 Modes(Scenery/Racing/Cinema/RTS/RPG/FPS/sRGB

Modes/MOBA Mode)

Adaptive-Sync supported : Yes

GameFast Input technology

Multiple HDR Mode : Yes

Shadow Boost

ELMB SYNC

Dynamic shadow boost

Capacidades de Audio Stereo Speakers : 2W x 2 Stereo RMS

Puertos I/O **Signal Input** : HDMI(v2.0) x2, DisplayPort 1.2

Earphone jack : 3.5mm Mini-Jack

Frecuencia de Señal **Digital Signal Frequency** : DisplayPort : 255

~255 KHz (H) /48 ~280 Hz(V)

HDMI : 30 ~255 KHz (H) /48 ~240 Hz(V)

Consumo de energía **Power Consumption** < 26W**

Power Saving Mode <0.5W

Power Off Mode <0.5W

Diseño Mecánico **Tilt** : +33°~-5°

Swivel : +90°~-90°

Pivot : +90°~-90°

Height Adjustment : 0~130 mm

VESA Wall Mounting : 100x100mm

Seguridad Kensington lock

Dimensiones **Phys. Dimension with Stand(WxHxD)** :

619.4x(376.73~506.73)x211.37 mm

Phys. Dimension without Stand (WxHxD) : 619.4x362.65x50.58 mm

Box Dimension(WxHxD) : 700x458x190mm

Peso **Net Weight (Esti.)** : 5.6 kg

Gross Weight (Esti.) : 8.2 kg

Accesorios **Power cord**

Power adapter

DisplayPort cable (Optional)

Quick start guide

HDMI cable (Optional)

Warranty Card

Aprobación de regulación TUV Flicker-free , TUV Low Blue Light,

VESA DisplayHDR 400

Nota*measuring a screen brightness of 200 nits without audio/ USB/ Card reader connection

**Adaptive-Sync technology supported (48Hz-280Hz)



- Los colores y las especificaciones técnicas del producto varían de país en país; por favor contacte con un vendedor autorizado ASUS para confirmar las configuraciones del producto y/o las opciones de crecimiento (RAM, Disco Duro etc.) disponibles en su país.
- La información de los productos está sujeta a cambios sin previo aviso.
- El color de la PCB y las versiones del software incluido están sujetas a cambio sin previo aviso.
- La marca y los nombres de los productos mencionados son marcas registradas por sus respectivas compañías.