



VL279HE

[Overview](#)[Tech Specs](#)[Support](#)

Display

Panel Size (inch) : 27

Panel Size (inch):27

Aspect Ratio : 16:9

Display Surface : Non-Glare

Aspect Ratio16:9

Backlight Type : LED

Panel Type:IPS

Panel Type : IPS

Panel Backlight:LED

Viewing Angle (CR \geq 10, H/V) : 178°/ 178°

True Resolution:1920x1080

Display Surface:Non-Glare

Pixel Pitch : 0.311mm

Pixel Pitch:0.311mm

Resolution : 1920x1080

Brightness (Typ.):250cd/m²

Brightness (Typ.) : 250cd/m²

Contrast Ratio:1000:1

Contrast Ratio (Typ.) : 1000:1

Viewing Angle (CR \geq 10):178°/ 178°

ASUS Smart Contrast Ratio (ASCR) : 100000000:1

Response Time:5ms(GTG)

Display Colors : 16.7M

Display Colors:16.7M
Response Time : 5ms(GTG)
Flicker free:Yes
Refresh Rate (Max) : 75Hz
Refresh Rate(max):75Hz
Flicker-free : Yes

Video Feature

Trace Free Technology : Yes
Trace Free Technology:Yes
SPLENDID Technology : Yes
GamePlus:Yes
Low Blue Light:Yes
Color Temp. Selection : Yes(4 modes)
HDCP Support:Yes

VRR Technology:Adaptive-Sync
GamePlus : Yes
QuickFit : Yes
HDCP : Yes
VRR Technology : Adaptive-Sync
Low Blue Light : Yes

I/O Ports

HDMI(v1.4)x 1
HDMI(v1.4) x 1
D-Subx 1
VGA x 1
PC Audio Input : Yes

Signal Frequency

Digital Signal Frequency : 30~85 KHz (H) / 48~75 Hz (V)

Digital Signal Frequency:30~85 KHz (H) / 48~75 Hz (V)

Analog Signal Frequency : 30~83 KHz (H) / 48~75 Hz (V)

Analog Signal Frequency :30~83 KHz (H) / 48~75 Hz (V)

Power Consumption

Power Consumption : <40W

Power Consumption:<40W

Mechanical Design

Tilt : Yes (+20° ~ -5°)

Tilt:Yes (+20° ~ -5°)

VESA Wall Mounting:100x100mm

VESA Wall Mounting : 100x100mm

Kensington Lock:Yes

Kensington Lock : Yes

Dimensions

Phys. Dimension with Stand (W x H x D) : 614 x 437.7 x 208.4 mm

Phys. Dimension with Stand(WxHxD):614 x 437.7 x 208.4 mm

Phys. Dimension without Stand (W x H x D) : 614 x 366 x 46 mm

Phys. Dimension without Stand (WxHxD):614 x 366 x 46 mm

Box Dimension (W x H x D) : 684 x 508 x 167 mm

Box Dimension (WxHxD):684 x 508 x 167 mm

Weight

Net Weight with Stand : 5.1 Kg

Net Weight with Stand:5.1 Kg

Net Weight without Stand : 4.29 Kg

Net Weight without Stand:4.29 Kg

Gross Weight : 7.5 Kg

Gross Weight:7.5 Kg

Accessories (vary by regions)

Power adapter

Power cord

VGA cable

HDMI cable

Quick start guide

Warranty Card

Compliance and Standards

TÜV Flicker-free

TÜV Low Blue Light



- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.

- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.