

General

User Interface English

Technology Refill Tank System

Memory 128MB

Display 1-Line

Function Refill Tank System, Print, Copy, Scan, Wireless, ADF, iPrint&Scan, AirPrint, Mopria

Interface USB 2.0 Hi-Speed, Wireless LAN IEEE802.11b/g/n

Print

Print Speed Up to 30 (Monochrome)/ 26 (Colour) ppm (Based on Fast Mode)

Up to 17 (Monochrome)/ 16.5 (Colour) ipm (Based on ISO/IEC 24734*) *

Print Resolution 1200 x 6000 dpi

Ink Save Mode Yes

Copy

Multicopy (Stack) Up to 99 copies

Enlargement/ Reduction 25% - 400% in 1% increments

Copy Resolution Print: Max. 1200 x 2400 dpi

Scan: Max. 1200 x 600 dpi

Copy Speed Up to 13 (Monochrome)/ 10.5 (Colour) ppm (Based on ISO/IEC 24735*)

N-in-1 Function Compress 2 or 4 pages onto a single sheet (including ID Copy)

Paper Handling

Paper Input (Standard Tray) Up to 150 sheets

Automatic Document Feed (ADF) 20 sheets

Paper Handling Sizes A4, LTR, EXE, A5, A6, B5(JIS), B6(JIS), Photo(102x152mm/4x6"),
Indexcard(127x203mm/5x8"), Photo-L(89x127mm/3.5x5"), Photo-2L(127x178mm/5x7"), C5
Envelope, Com-10, DL Envelope

Paper Output Up to 50 sheets

Multi-Purpose Tray / Manual Slot No

Scanning

Scanning Capability Colour & Monochrome

Optical Scanning Resolution Up to 1,200 x 2,400 dpi

Interpolated Scanning Resolution Up to 19,200 x 19,200 dpi

Scan to FeatureE-mail Attachment, Image, File, OCR

Additional Features

Poster Printing Yes

Copy Enhancement Yes

Network

Management BRAdmin Light - Printer and print server management operates under Windows and Macintosh

Protocols IPv4: ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNMP Client

IPv6: (Turned off as default) NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNMP Client, ICMPv6

Security SSID (32 chr), WEP 64/128bit, WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES)

****NO LEAP****

Software

Printer Driver (Windows) 7 SP1 / 8 / 8.1 / 10 / Server 2008 / Server 2008 R2 / Server 2012 / Server 2012 R2 / 2016 / 2019

Latest printer driver available at <http://solutions.brother.com/>

Printer Driver (Macintosh) OS X v10.13.6 / 10.14.x / 10.15.x

Latest printer driver available at <http://solutions.brother.com/>

Network Management Tool BRAdmin Light - Printer and print server management operates under Windows and Macintosh

Dimension / Weight

Weight 8.7kg

Dimension (W x D x H) 435mm x 380mm x 195mm

Support

Warranty 3-year Carry-In Warranty

Macau Warranty 3-year Carry-In Warranty

Others

Bundled Ink Cartridge Type BTD60BK 97.2ml x 1 pcs in accordance with ISO / IEC 24712

BT5000C/M/Y x 1 set Approx. 5,000 pages in accordance with ISO / IEC 24712

Power Consumption Measured when the machine is connected to the USB interface. Power consumption varies slightly depending on the usage environment or part wear.

Copying Mode: Approx. 16W

Ready Mode: Approx. 3.5W

Sleep Mode: Approx. 1.2W

Off: Approx 0.2W

Noise Level Standby: Inaudible, Printing: 50 dB(A)