



H310MHP 7.x


- Supports 9th & 8th Generation Intel® Core™ Processor
- Intel H310 single chip architecture
- Support Dual Channel DDR4 2666/2400/2133/1866 MHz
- Support HDMI 4K resolution
- Support GbE LAN
- Support USB 3.2 Gen1
-

Chipset	<ul style="list-style-type: none"> • Intel H310
CPU SUPPORT	<ul style="list-style-type: none"> • Socket 1151 for 9th / 8th Gen Intel® Core, Pentium and Celeron processors • Maximum CPU TDP (Thermal Design Power): 95Watt • * Please refer to www.biostar.com.tw for CPU support list. •
MEMORY	<ul style="list-style-type: none"> • Supports Dual Channel DDR4 1866/ 2133/ 2400/ 2666 • 2x DDR4 DIMM Memory Slot, Max. Supports up to 32 GB Memory • Each DIMM supports non-ECC 4/8/16GB DDR4 module • * Please refer to www.biostar.com.tw for Memory support list. •
INTEGRATED VIDEO	<ul style="list-style-type: none"> • By CPU model • Supports DX12 • Supports HDCP
STORAGE	<ul style="list-style-type: none"> • 4 x SATA III Connectors (6Gb/s)
LAN	<ul style="list-style-type: none"> • RTL8111H • 10/ 100/ 1000 Mb/s auto negotiation, Half / Full duplex capability


	<ul style="list-style-type: none"> •
AUDIO CODEC	<ul style="list-style-type: none"> • ALC887 • 7.1 Channels, High Definition Audio • • Support HD Audio
USB	<ul style="list-style-type: none"> • 4x USB 3.2(Gen1) port (2 on rear I/Os and 2 via internal header) • 6x USB 2.0 port (4 on rear I/Os and 2 via internal header) •
EXPANSION SLOT	<ul style="list-style-type: none"> • 2x PCIe 2.0 x1 Slot • 1x PCIe 3.0 x16 Slot •
REAR I/O	<ul style="list-style-type: none"> • 1x PS/2 Mouse Port • 1x PS/2 Keyboard Port • 1x HDMI Port • 1x VGA Port • 1x LAN Port • 4x USB 2.0 Port • 2x USB 3.2(Gen1) Port • 3x Audio Jack •
INTERNAL I/O	<ul style="list-style-type: none"> • 4x SATA III Connector • 1x USB 2.0 Header (each header supports 2 USB 2.0 ports) • 1x USB 3.2(Gen1) Header (each header supports 2 USB 3.2(Gen1) ports) • 1x 8-Pin Power Connector • 1x 24-Pin Power Connector • 1x CPU Fan Connector • 1x System Fan Connector



	<ul style="list-style-type: none"> • 1x Front Panel Header • 1x Front Audio Header • 1x Clear CMOS Header • 1x COM Port Header •
DIMENSION	<ul style="list-style-type: none"> • Micro ATX Form Factor Dimension: 226mm x 171mm (W x L)
OS SUPPORT	<ul style="list-style-type: none"> • Support Windows 7/ 10(64bit) • ※Biostar reserves the right to add or remove support for any OS with or without notice.
ACCESSORIES	<ul style="list-style-type: none"> • 2 x SATA Cable • 1 x I/O Shield • 1 x DVD Driver • 1 x Quick Guide

Audio+




HD Audio Provides high quality sound with minimal loss of audio fidelity.	
---	---

Video+

HDMI 4K2K The new 4K2K resolution enables high-definition image display with four times the resolution of full HD ,4K2K display is faithfully express bright, highly detailed content that fills the entire screen with lifelike images. Connectivity with PCs via a single HDMI cable for displaying 4K2K data.	
--	---

DX12 DirectX 12 introduces the next version of Direct3D, the graphics API at the heart of DirectX. Direct3D is one of the most critical pieces of a game or game engine, and we've redesigned it to be faster and more efficient than ever before. Direct3D 12 enables richer scenes, more objects, and full utilization of modern GPU hardware.	
Integrated HDMI with HDCP Onboard HDMI connector allows full video & audio support. It has industry-leading high definition video quality.	

Speed+

PCI-E Gen 3.0 PCI-E 3.0 is the next evolution of the ubiquitous and general-purpose PCI Express I/O standard. At 8GT/s bit rate, the interconnect performance bandwidth is doubled over PCI-E 2.0, while preserving compatibility with software and mechanical interfaces.	
SATAIII 6Gbps SATAIII 6Gbps provides a higher bandwidth to retrieve and transfer HD media. With this super speed data transfer, SATAIII allows an incredible data boost which is 2x faster than the SATA 3G.	
Dual DDR4 The primary advantages of DDR4 over DDR3, include higher module density, lower voltage requirements, coupled with higher data transfer rate.	

USB 3.2 Gen1 Type-A

USB 3.2 Gen1 delivers compelling performance boosts and can be used to connect multiple devices without worrying about compatibility. It is capable of data transfer speeds up to 5Gbps and backwards compatible with all existing USB products.



Durable+

100% Solid Caps

With armor-plated Biostar Technology, all capacitors are placed with 100% solid capacitors that have a lasting life cycle, durability and stability for crucial components.



DIY+

UEFI BIOS

Unified Extensible Firmware Interface (UEFI) is a brand new framework that provides a revolutionary interface. It is a modern clear and easy-to-use graphical user interface. The UEFI comes with a colorful easy-understand icons leads users into the setup layer directly.



CPU-Chipset Features

Intel H310 chipset

The Intel® H310 chipset is a single-chipset design to support socket 1151 Intel® 8th generation Intel® Core™ processor-based platform. Provides excellent performance and increased bandwidth and stability. The PC platform features improved adaptive performance that adds speed when you need it. When combined with advanced system responsiveness, the platform delivers the ultimate PC experience.

